

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/646,310	08/22/2003	David A. Kovalsky	67,008-073	9196	
26096 75	590 11/09/2006		EXAMINER		
CARLSON, GASKEY & OLDS, P.C. 400 WEST MAPLE ROAD			VERDIER, CHRISTOPHER M		
SUITE 350	IFLE KOAD		ART UNIT	PAPER NUMBER	
BIRMINGHAN	и, MI 48009		3745		
			DATE MAILED, 11/00/2004		

Please find below and/or attached an Office communication concerning this application or proceeding.

MI

## Supplemental Notice of Allowability

Application No.	Applicant(s)		
10/646,310	KOVALSKY ET AL.		
Examiner	Art Unit		
Christopher Verdier	3745		

	Christopher Verdier	3745					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.							
1. This communication is responsive to							
2. The allowed claim(s) is/are <u>1-14 and 22-35</u> .							
3.							
Attachment(s)  1. Notice of References Cited (PTO-892)  2. Notice of Draftperson's Patent Drawing Review (PTO-948)  3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal Page 1. ☐ Interview Summary Paper No./Mail Dat 7. ☑ Examiner's Amendn 8. ☐ Examiner's Stateme 9. ☐ Other	(PTO-413), e nent/Comment	wance				

Art Unit: 3745

## **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the Claims:

In claim 31, line 1, "composite rotor blade spar" has been changed to -- assembly --.

The above change was agreed upon during a telephone interview between David Wisz, Attorney of Record, and the undersigned, on September 11, 2006. However, upon preparation of the application for allowance, it was noticed that the Examiner's Amendment of September 14, 2006 contained a typo, incorrectly referring to changing "hollow composite article" to -- assembly -- in claim 31, line 1. Claim 31 is now corrected. Any inconvenience to Applicant is regretted.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher Verdier whose telephone number is (571) 272-4824. The examiner can normally be reached on Monday-Friday from 10:00-6:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Edward K. Look can be reached on (571) 272-4820. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/646,310

Art Unit: 3745

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1009.

C.V.

October 30, 2006

Christopher Verdier Primary Examiner Art Unit 3745 Page 3